

K 1000 (200 W)

HOT MARKING BY BRANDING ON WOOD, RUBBER, PLASTIC, MEAT, ETC.

Characteristics:

- Weight: 1,500 Kg
- Length: 370 mm
- Power cord length 1.5 m, with moulded male plug, compliant with European Standard
- Power: 200 Watts, single-phase with earth, 220 Volts
- 2 protected cartridges designed for intensive use
- Ready after 15 minutes heating
- Bronze sole plate, possible marking area 85 X 64 mm

Machine features:

- Interchangeable branding tool
- Simple branding, special graphics, logos, signatures, etc..
- Electronic controller on request
- Versions on request

OPTIONS :



CONTACT :
TIFLEX
CS 30200
01450 PONCIN France
Tel : +33 (0)4 74 37 33 55
Fax : +33 (0)4 74 37 33 21
mic@tiflex.fr
www.tiflex.com



K 3000 (800 W)

HOT MARKING BY BRANDING ON WOOD, RUBBER, PLASTIC, MEAT, ETC...

Characteristics:

- Weight: 4 Kg
- Length: 380 mm
- Power cord length 1.5 m, with moulded male plug, compliant with European Standard
- Power: 800 Watts, single-phase with earth, 220 Volts
- Ready after 20 minutes heating
- Bronze sole plate, possible marking area 175 X 64 mm

Machine features:

- Interchangeable branding tool
- Simple branding, special graphics, logos, signatures, etc..
- Electronic controller on request
- Versions on request

OPTIONS :



CONTACT :
TIFLEX

CS 30200 - 01450 PONCIN France

Tel : +33 (0)4 74 37 33 80/97

Fax : +33 (0)4 74 37 33 62

international@tiflex.fr



Scan this code
and discover
our website!

www.tiflex.com/solutions-gb-mic.html



K Super 1000 (400 W)

HOT MARKING BY BRANDING ON WOOD, RUBBER, PLASTIC, MEAT, ETC...

Characteristics

- Weight: 2,2 Kg
- Length: 370 mm
- Power cord length 1.5 m, with moulded male plug, compliant with European Standard
- Power: 400 Watts, single-phase with earth, 230 Volts
- 2 protected cartridges designed for intensive use
- Ready after 15 minutes heating
- Excellent heating power
- Bronze sole plate, possible marking area 85 X 64 mm

Machine features:

- Interchangeable branding tool
- Simple branding, special graphics, logos, signatures, etc..
- Electronic controller on request
- Versions on request

OPTIONS :



CONTACT :
TIFLEX

CS 30200 - 01450 PONCIN France

Tel : +33 (0)4 74 37 33 80/97

Fax : +33 (0)4 74 37 33 62

international@tiflex.fr



Scan this code
and discover
our website!

www.tiflex.com/solutions-gb-mic.html



K Super 3000 (1260 W)

MARQUAGE PAR BRULAGE DE BOIS, CAOUTCHOUC, PLASTIQUE, VIANDE ...

Characteristics

- Weight: 3,500 Kg
- Length: 380 mm
- Power cord length 1.5 m, with moulded male plug, compliant with European Standard
- Power: 1260 Watts, single-phase with earth, 230 Volts
- 2 protected cartridges designed for intensive use
- Ready after 15 minutes heating
- Bronze sole plate, possible marking area 175 X 64 mm

Machine features:

- Interchangeable branding tool
- Simple branding, special graphics, logos, signatures, etc..
- Electronic controller on request
- Versions on request

OPTIONS :



CONTACT :
TIFLEX

CS 30200 - 01450 PONCIN France
Tel : +33 (0)4 74 37 33 80/97
Fax : +33 (0)4 74 37 33 62
international@tiflex.fr



Scan this code
and discover
our website!

www.tiflex.com/solutions-gb-mic.html

