



SCREEN PRINTING

PRE-PRESS

SUPPLIES


SQUEEGEES & FLOOD BARS

- Complete range of flood bars suitable for the various printing systems and most existing machines



We propose a complete range of flood bars suitable for the various printing systems and most existing machines. They are cut to the required length. Unless specified in the order they are delivered in average hardness.

- **Machine flood bar supports and doctor blades**





HLS type,

Metal profile flood bar, equipped with 50 x 9 mm interchangeable polyurethane

Flood bars support with interchangeable blued steel blade

MO type,
Metal profile flood bar, equipped with MO type 35 x 7 mm interchangeable polyurethane
Flood bar support with interchangeable blued steel blade



A type, for Electra

Metal profile flood bar, equipped with 50 x 9 mm interchangeable polyurethane

Flood bar support with interchangeable blued steel blade


	RH HLS	MO	EV Electra	Electra pneumatic	Electra mechanics
flood bars	HLS type	MO type	A type	A type	A type
flood bar supports	HLS type	MO type	BP type	B ⁽¹⁾ type	A type

⁽¹⁾ specify the shape

B type,
flood bar support with
interchangeable blued steel blade


110 mm

• Squeegee blades for manual printing



D type,

large wooden moulding,
equipped with polyurethane 50 x 9 mm




E type,

small wooden
moulding, equipped
with polyurethane 25
x 5 mm

• «one hand» flood bar

C type,

wooden
mounting,
equipped
with polyurethane
50 x 9 mm



• Special squeegee blades

On request squeegee blade for drum machines, cylma and bottle machines.

• General remarks

- a squeegee blade with rounded angle deposits more ink than one sharpened at a right angle
- a soft squeegee blade deposits more ink than a hard one
- to print a fine or half tone pattern a very hard and perfectly sharpened squeegee blade must be used
- the greater the angle of inclination of the squeegee blade, the more ink is deposited
- absence of squeegee blade inclination can be compensated by sharpening the blade at an angle (possible with our inclined plane sharpener)
- the print quality is directly related to the quality of the squeegee blade: a worn doctor blade is a bad tool.

Polyurethanes

We propose a complete range of polyurethanes.

Qualities

- monobloc (single-component)
- composite (2 qualities one stuck above the other)
- 3C (triple layers)

Shore hardness variable from 65 to 85°

identified by the colour : red 65°, green 75°, blue 85°, gold 70° and 80°.

The Gold variety is characterised by exceptional mechanical resistance to friction and UV. It is an excellent polyurethane.

Solid profile and double bevel 45°

DESCRIPTION	Ref.
MONOBLOCS 20 x 5 mm	
Red, solid, 3 m strip	244200510C3
Green, solid, 3 m strip	244200510D3
Gold 75° shore, solid, 3 m strip	244200510K3
Gold 80° shore, solid, 3 m strip	244200511K3
Green 75° shore, double bevel 62°, 3 m strip	2442005SP9
MONOBLOCS 25 x 5 mm	
Red, solid, 3 m strip	244250510C3
Green, solid, 3 m strip	244250510D3
Blue, solid, 3 m strip	244250510E3
Gold 75° shore, solid, 3 m strip	244250510K3
Gold 80° shore, solid, 3 m strip	244250511K3
Green, double bevel 45°, 3 m strip	244250535L3
Blue, double bevel 45°, 3 m strip	244250535M3
Brown, 80° shore, double bevel 45°, 3 m strip	244250535N3
MONOBLOCS 35 x 7 mm	
Red, solid, 3 m strip	244350710C3
Green, solid, 3 m strip	244350710D3
Gold 75° shore, solid, 3 m strip	244350710K3

Polyurethanes composites

DESCRIPTION	Ref.
COMPOSITES 50 x 9 mm	
Red, solid, 3 m strip	244500950C3
Green, solid, 3 m strip	244500950D3

Polyurethanes 3C

DESCRIPTION	Ref.
POLYURETHANES 3C, 50 x 9 mm	
Red, 3,66 m strip	245704
Green, 3,66 m strip	245604

DESCRIPTION	Ref.
MONOBLOCS 40 x 5 mm	
Green, solid, 3 m strip	244400510D3
Blue, solid, 3 m strip	244400510E3
MONOBLOCS 40 x 8 mm for Schenk printing machines*	
Green, plain, 3,33 m strip, 75°shore	244400810Q3
Red, Bullnose, 3,33 strip, 65 shore	244400810P3
MONOBLOCS 50 x 6 mm	
Red, solid, 3 m strip	244500610C3
Green, solid, 3 m strip	244500610D3
Blue, solid, 3 m strip	244500610E3
MONOBLOCS 50 x 7 mm	
Red, solid, 3 m strip	244500710C3
Green, solid, 3 m strip	244500710D3
Gold 80° shore, solid, 3 m strip	244500711K3
MONOBLOCS 50 x 9 mm	
Red, solid, 3,66 m strip	244500910C4
Green, solid, 3,66 m strip	244500910D4
Blue, solid, 3,66 m strip	244500910E4
Brown, solid, 3,66 m strip	244500910F4
Gold 75° shore, solid, 3,66 m strip	244500950K4
Gold 80° shore, solid, 3,66 m strip	244500911Z4

Other dimensions : contact us.

* Minimum Order: 3 lengths. Within 4 weeks.



CS 30200 - 01450 PONCIN - Tél. +33 (0) 4 74 37 33 80/97
international@tiflex.fr - www.tiflex.com